



**DIVERSIFIED**  
**TESTING LABORATORIES, INC.**  
WORLDWIDE SERVICE

“We Test Per Your Request”

336 WEST FRONT STREET  
P.O. BOX 4004  
BURLINGTON, NORTH CAROLINA 27215  
PHONE (336) 227-7710 • FAX (336) 227-1175  
[www.diversifiedtestinglabs.com](http://www.diversifiedtestinglabs.com)

Skintex SF includes Anzea Fabrics: Memories, Snake Escape, Vellum, Linette, Cowtown, A Tisket a Tasket, Nightengale, Simply Hyde, Hemp Canvas, Bounce, Levels, Western Willie, Vintage Glaze,

Reference: Laboratory Test Report  
Lab Identification No. 12582  
Invoice No. 43327 (Attached)

Dear Mr. Jung:

One (1) fabric sample, identified as **ITEM: SKINTEX-SF**, was received and tested in accordance with the California Technical Bulletin 117-2013, Section 1, Cover Fabric Test. The results are as follows:

Test Results - Char

8mm      8mm      8mm


The sample submitted **meets** the requirements of the above standard. There were no ignitions or smoldering after 45 minutes on any of the three specimens tested. In addition, none of the three test specimens displayed a char which was greater than 45 mm.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brian S. Dement

BSD/mr  
Attachment



**DIVERSIFIED**  
**TESTING LABORATORIES, INC.**  
WORLDWIDE SERVICE

“We Test Per Your Request”

336 WEST FRONT STREET  
P.O. BOX 4004  
BURLINGTON, NORTH CAROLINA 27215  
PHONE (336) 227-7710 • FAX (336) 227-1175  
[www.diversifiedtestinglabs.com](http://www.diversifiedtestinglabs.com)

November 7, 2014

Mr. Samuel Jung  
POINTE INTERNATIONAL, INC.  
108 Fairway Court  
Northvale, NJ 07647

Reference: Laboratory Test Report  
Lab Identification No. 12582  
Invoice No. 43327 (Attached)

Dear Mr. Jung:

One (1) fabric sample, identified as **ITEM: SKINTEX-SF**, was received and tested in accordance with the UPHOLSTERED FURNITURE ACTION COUNCIL Fabric Classification Test Method--1990. The results are as follows:


<u>Test Results</u>		
<u>Vertical Char Lengths</u>		
9mm	6mm	7mm
<u>Class</u>		
I		

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brian S. Dement

BSD/mr  
Attachment



**DIVERSIFIED**  
**TESTING LABORATORIES, INC.**  
WORLDWIDE SERVICE

"We Test Per Your Request"

336 WEST FRONT STREET  
P.O. BOX 4004  
BURLINGTON, NORTH CAROLINA 27215  
PHONE (336) 227-7710 • FAX (336) 227-1175  
www.diversifiedtestinglabs.com

November 7, 2014

Mr. Samuel Jung  
POINTE INTERNATIONAL, INC.  
108 Fairway Court  
Northvale, NJ 07647

Reference: Laboratory Test Report  
Lab Identification No. 12582  
Invoice No. 43327 (Attached)

Dear Mr. Jung:

One (1) fabric sample, identified as **ITEM: SKINTEX-SF**, was received and tested in accordance with the NFPA 260, "Cigarette Ignition Resistance of Components of Upholstered Furniture, 2009 Edition", (Cover Fabric Test). The results are as follows:

Test Results  
Vertical Char Lengths

9mm                  6mm                  7mm


The sample submitted **meets** the requirements of the above standard and may be considered a **Class I Cover Fabric**. There were no ignitions on any of the three specimens tested. In addition, none of the three test specimens displayed a vertical char which was equal to or greater than 45 mm.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Brian S. Dement

BSD/mr  
Attachment



**DIVERSIFIED**  
**TESTING LABORATORIES, INC.**  
WORLDWIDE SERVICE

“We Test Per Your Request”

336 WEST FRONT STREET  
P.O. BOX 4004  
BURLINGTON, NORTH CAROLINA 27215  
PHONE (336) 227-7710 • FAX (336) 227-1175  
www.diversifiedtestinglabs.com

November 25, 2014

Mr. Samuel Jung  
POINTE INTERNATIONAL INC.  
108 Fairway Court  
Northvale, NJ 07647

Reference: Laboratory Test Report  
Lab Identification No. 12814  
Invoice No. 43614 (Attached)

Dear Mr. Jung:

One (1) sample, identified as **ITEM: SKINTEX-SF**, was received and tested in accordance with **INTERNATIONAL MARITIME ORGANIZATION, Resolution A.652(16) Methods of Test for the Ignitability by Smokers' Materials of Upholstered Composites for Seating.** Per Appendix A, A.1(b), "The tests only measure the ignitability of a combination of materials used in upholstered seating and not of a particular finished item of furniture incorporating these materials. They give an indication of, but cannot guarantee, the ignition behaviour of the finished item of furniture".

The sample submitted was tested to Section 8.2 Smouldering Cigarette Test. The results are as follows:

<u>Ignition Source</u>		<u>Test Results</u>
Smoldering Cigarette	#1	PASS (No flaming or progressive smouldering)
	#2	PASS (No flaming or progressive smouldering)

The sample submitted, **meets** minimum requirements of the above standard when tested to smouldering cigarette ignition.

If there are any questions or when we can be of further assistance, please let us know.

Sincerely,

Bobby E. Puett

BEP/mr  
Attachment